(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 6 March 2003 (06.03.2003) (10) International Publication Number
WO 03/019900 A1

(51) International Patent Classification7:	H04L 29/06	(74) Agent: GROENENDAAL, Antonius, W., M.; Interna- tionaal Octrooibureau B.V., Prof. Holstlaan 6, NL-5656
(21) International Application Number: F	CT/IB02/03252	AA Eindhoven (NL).
(22) International Filing Date: 2 August 20	02 (02.08.2002)	(81) Designated States (national): CN, JP, KR.
(25) Filing Language:	English	(84) Designated States (regional): European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT,
(26) Publication Language:	English	LU, MC, NL, PT, SE, SK, TR).

Published:

(30) Priority Data:
09/935,885 23 August 2001 (23.08.2001) US
(71) Applicant: KONINKLIJKE PHILIPS ELECTRON-

ICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

with international search report

(72) Inventor: LU, Jin; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).

Eindhoven (NL).

(54) Title: BROADCAST VIDEO CHANNEL SURFING SYSTEM BASED ON INTERNET STREAMING OF CAPTURED LIVE BROADCAST CHANNELS

(57) Abstract: A method for reviewing broadcast channels. The method including: capturing at least one broadcast channel at a first site at a reduced quality from its broadcast quality; receiving the at least one reduced quality broadcast channel at a second site, the second site being remote from the first site; and reviewing the at least one reduced quality broadcast channel at the second site. Preferably, the reduced quality broadcast channel is captured on a video server corresponding to an Internet address and is downloaded from the Internet via a wireless transmission to a cellular phone, PDA, or the like.

Broadcast video channel surfing system based on internet streaming of captured live broadcast channels

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates generally to apparatus and methods for reviewing broadcast channels, and more particularly, to apparatus and methods for reviewing broadcast channels that are captured on a video server at a reduced quality and received at an apparatus to review, where the apparatus is preferably a wireless communication device.

Prior Art

5

10

15

It is known in the art to use a "picture-in-picture" (PIP) feature in televisions to give a viewer the capability of viewing a broadcast channel while reviewing another broadcast channel. Typically, televisions having a PIP feature require two tuners, one tuner to display the main broadcast channel being viewed and a second tuner for displaying another broadcast channel to be reviewed. Generally, the display from the second tuner is displayed in a small portion of the television screen.

A significant drawback of PIP is that it disturbs the viewer of the main channel and requires a second tuner in the television to browse other channels while a channel is being viewed. In addition, PIP does not support channel browsing outside a home.

SUMMARY OF THE INVENTION

Therefore, there is a need in the art for viewing (alternatively referred to herein

20 as "surfing" or "browsing") broadcast channels at a reduced quality, such as at a slow frame
rate and/or resolution. This need has particular importance in the following scenarios:

- while a first person or group of people are watching a broadcast television channel, a second person can browse other channels with a handheld device (so that he or she does not disturb first person or group of people); and
- 25 (2) while a user is outside his or her home, he or she can check television channels or other broadcast channels on a PDA or cellular telephone through a wireless connection.

Therefore it is an object of the present invention to provide a method for browsing broadcast channels while another main channel is being viewed, which does not require another tuner for the channels being browsed.

It is another object of the present invention to provide a method for browsing broadcast channels while another main channel is being viewed, which does not disturb the viewer of the main channel.

It is still a further object of the present invention to provide a method for browsing broadcast channels while another main channel is being viewed, which can be done remotely.

5

10

15

20

25

30

Accordingly, a method for reviewing broadcast channels is provided. The method comprising: capturing at least one broadcast channel at a first site at a reduced quality from its broadcast quality; receiving the at least one reduced quality broadcast channel at a second site, the second site being remote from the first site; and reviewing the at least one reduced quality broadcast channel at the second site.

Preferably, the capturing step comprises capturing the at least one reduced quality broadcast channel on at least one video server corresponding to at least one Internet address and the receiving step comprises accessing the at least one Internet address and downloading the at least one reduced quality broadcast channel therefrom.

The at least one reduced quality broadcast channel preferably comprises a plurality of reduced quality broadcast channels, wherein the receiving step preferably comprises multicasting the plurality of reduced quality broadcast channels from the at least one Internet address. Alternatively, the receiving step comprises receiving a wireless transmission of the at least one reduced quality broadcast channel at the second site.

The at least one broadcast channel is preferably a broadcast television channel and the reduced quality is a lower speed and/or a lower resolution.

Also provided is a system for reviewing broadcast channels. The system comprising: capturing means for capturing at least one broadcast channel at a first site at a reduced quality from its broadcast quality; receiving means for receiving the at least one reduced quality broadcast channel at a second site, the second site being remote from the first site; and reviewing means for reviewing the at least one reduced quality broadcast channel at the second site.

The capturing means preferably comprises a video server corresponding to at least one Internet address and the receiving means preferably comprises accessing means for accessing the at least one Internet address and downloading means for downloading the at least one reduced quality broadcast channel therefrom. The Internet is preferably accessed via a wireless transmission.

3

Still yet provided is an apparatus for reviewing broadcast channels. The apparatus comprising: receiving means for receiving at least one broadcast channel at a reduced quality from its broadcast quality which has been previously captured at a remote site; and reviewing means for reviewing the at least one reduced quality broadcast channel.

The receiving means preferably comprises accessing means for accessing the at least one Internet address and downloading means for downloading the at least one reduced quality broadcast channel therefrom. The Internet is preferably accessed via a wireless transmission of the at least one reduced quality broadcast channel at the second site. The reviewing means is preferably a display integral with the apparatus for displaying a reduced quality broadcast television channel.

BRIEF DESCRIPTION OF THE DRAWINGS

5

10

15

20

25

30

These and other features, aspects, and advantages of the apparatus and methods of the present invention will become better understood with regard to the following description, appended claims, and accompanying drawings where:

Figure 1 illustrates a preferred implementation of the system for reviewing broadcast channels of the present invention.

Figure 2A illustrates a wireless communication device of Figure 1 having one broadcast channel displayed thereon.

Figure 2B illustrates a wireless communication device of Figure 1 having multiple broadcast channels displayed thereon.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Although this invention is applicable to numerous and various types of broadcast channels, it has been found particularly useful in the environment of broadcast television channels. Therefore, without limiting the applicability of the invention to broadcast television channels, the invention will be described in such environment.

Referring now to Figure 1, there is shown a preferred implementation of a system for reviewing broadcast channels, the system generally being referred to by reference numeral 100. The system 100 comprises a capturing means for capturing at least one broadcast channel at a first site. Preferably a plurality of broadcast channels are captured, such as local television broadcast channels (ABC, CBS, NBC, FOX, etc.) and/or cable broadcast channels (HBO, DISNEY, ESPN, etc.). However, television broadcast channels are given by way of example only, and not to limit the scope or spirit of the present

invention. For example, radio broadcast channels can also be captured or only the audio component of television broadcast channels.

Where the broadcast channels are television broadcast channels, the capturing means is preferably a video server 102. Thus, the television broadcast channels are input into the video server 102. Preferably, the video server supplies the broadcast channels to at least one Internet address 104. However, many internet addresses can also be used, each corresponding with a predetermined number of broadcast channels, or each with a single broadcast channel.

5

10

15

20

25

30

The broadcast channels are supplied to the Internet address at a reduced quality from their broadcast quality. For instance, where the broadcast channels are television broadcast channels, they can be captured at a reduced frame speed or a reduced resolution, or both. Reducing the quality of broadcast channels, such as by lowering their frame speed and/or their resolution, is well known in the art, such as by applying an appropriate filter to the video broadcast channel input.

A receiving means receives the reduced quality broadcast channels at a remote site from where the broadcast channels are captured. The receiving means is preferably a wireless communication device 106, such as a personal digital assistant (PDA) or a cellular telephone. However, other receiving means can be used without departing from the scope or spirit of the present invention, such as a personal computer 110 having access to the internet 108, through an Internet Service Provider (ISP) 112.

The receiving means preferably has means for accessing the Internet address 104 such as a web browser 114 (Figures 2A and 2B). Providing Internet access through a personal computer is well known in the art. Furthermore, providing Internet access through wireless devices such as a PDA or a cellular telephone is also well known in the art, such as those using the Wireless Application Protocol (WAP).

The receiving means also includes means for downloading the at least one reduced quality broadcast channel from the Internet address, such as a modem (not shown) which communicates through a fixed line such as a cable or telephony line 116 or through a wireless connection via an antenna 118 and base station 120. Modems for downloading data are well known in the art, and as such, are not discussed herein. Although there may be a technical difference between "downloading" where content is pulled by a second site and "streaming" where content is pushed by a first site, they are used synonymously herein, namely, as a transfer of data.

The receiving means preferably also has a reviewing means, such as a display 122, for reviewing the broadcast channel having the reduced quality and/or a speaker 123 for reproducing an audio broadcast channel and/or an audio component of a television broadcast channel. Where the receiving means is a personal computer, 108, the display 122 and speaker 123 comprise the computer's monitor and built-in speaker. Where the receiving means is a wireless communication device 106 such as a PDA or a cellular phone, the display 122 and speaker 123 are preferably an LCD and speaker integrated into the device which are not dedicated to the system 100 of the present invention.

5

10

15

20

25

30

The operation of the system 100 of the present invention will now be described with reference to Figures 1, 2A, and 2B. Assume there are 100 television broadcast channels that are available. Multiple video servers 102 capture these channels at some reasonable speeds and resolutions and in some standard formats, for instance using JPEG, MPEG1, or MPEG4 formats.

For a user to receive the streams of these channels at either the wireless communication device 106 or the personal computer 108, there are two preferred options. The first is by multicasting, where the video servers 102 multicast the captured broadcast channel streams on some well-known IP addresses 104. A receiving means, which has the proper multicast client, can "tune" into these addresses and receive the streams. The second option is by unicasting, where a dedicated connection is established between the video server 102 and the receiving means before the receiver means can receive the broadcast channel stream. Both options can be implemented with Internet video streaming technologies which are well known in the art.

Thus, the methods of the present invention provide a method for capturing the broadcast channels and preferably streaming them via Internet (broadband or narrow band) to an Internet capable device. For instance, if a user is standing in a check-out line of a supermarket, and wants to know the score of an NBA game and view portions of the game. With the system 100 of the present invention, he or she can use a wireless communication device 106 such as a cellular telephone or a PDA and dial up to a web site 104 having a reduced quality version of the NBA game broadcast. The wireless communication device first contacts its base station 120 for the particular cell that it is located in, which in turn contacts an ISP 112, which provides access to the Internet 110, and ultimately, to the Internet address 104 from which the NBA game broadcast is accessed. Where the receiving means is a personal computer 108, the same accesses the Internet 110 directly through the ISP 112 as is well known in the art.

Referring now to Figures 2A and 2B, there is shown the wireless communication device 106 of Figure 1. From a web browser 114 the user can then choose the channel 124 broadcasting the NBA game and activate it. Instantly, the user is fed with the broadcast channel at a reasonable speed, for example, one frame/second. In viewing the reduced quality broadcast channel, it is important to keep the bandwidth requirement low in the case of wireless receiving means. Since one of the purposes of the viewing is supplementary to regular television viewing (e.g., to keep users updated on what is being broadcast on other channels), fewer but preferably "key" frames are sent to the receiving means. Identifying "key" frames in video content is well known in the art.

5

10

15

20

25

30

Those skilled in the art will recognize that with the system of the present invention, a user is not restricted by the number of turners on their television, but only by the data throughput between the video server 102 that streams the broadcast channels and the receiving means.

Once the Internet address 104 has been accessed via the web browser 114, the user can choose to view any of the broadcast channels available at the Internet address 104 with the browser 114. Furthermore, the broadcast channels that can be browsed is not limited to the location, as opposed to PIP which only captures the programs offered by a local service provider.

With the system 100 of the present invention one can view a single broadcast channel as is shown on the display 122 of Figure 2A or the user can view multiple broadcast channels simultaneously as shown in Figure 2B with multiple "thumbnails" 126 of slow changing channels on the receiver's display 122. As yet another alternative, the browser 114 can cycle through predetermined favorable broadcast channels, staying on each channel for a few seconds or waiting for a prompt from the user before cycling to the next channel.

Additional services such as supplementary information about a movie and a game can also be streamed along with the video streams of the broadcast channels. The supplemental information can then be displayed along with the reduced quality broadcast channel. Such information can be in the form of audio and or video content such as a spoken or written review of a movie currently being broadcast on a particular channel. Where the supplemental information is audio or has an audio component, the audio is preferably reproduced by a speaker 123 integral with the personal computer 108 or wireless communication device 106.

While there has been shown and described what is considered to be preferred embodiments of the invention, it will, of course, be understood that various modifications and

changes in form or detail could readily be made without departing from the spirit of the invention. It is therefore intended that the invention be not limited to the exact forms described and illustrated, but should be constructed to cover all modifications that may fall within the scope of the appended claims.

CLAIMS:

10

15

20

- A method for reviewing broadcast channels, the method comprising:
 capturing at least one broadcast channel at a first site at a reduced quality from
 its broadcast quality;
- receiving the at least one reduced quality broadcast channel at a second site,
 the second site being remote from the first site; and

reviewing the at least one reduced quality broadcast channel at the second site.

- The method of claim 1, wherein the capturing step comprises capturing the at least one reduced quality broadcast channel on at least one video server (102) corresponding to at least one Internet address (104).
- The method of claim 2, wherein the receiving step comprises accessing the at least one Internet address (104) and downloading the at least one reduced quality broadcast channel therefrom.
- 4. The method of claim 2, wherein the at least one reduced quality broadcast channel comprises a plurality of reduced quality broadcast channels and wherein the receiving step comprises multicasting the plurality of reduced quality broadcast channels from the at least one Internet address (104).
- The method of claim 1, wherein the receiving step comprises receiving a
 wireless transmission of the at least one reduced quality broadcast channel at the second site.
- The method of claim 1, wherein the at least one broadcast channel is a
 broadcast television channel and the reduced quality is at least one of a lower speed and a lower resolution.

- The method of claim 1, further comprising the step of receiving supplemental information corresponding to the at least one reduced quality broadcast channel at the second site.
- 8. The method of claim 1, wherein the at least one reduced quality broadcast channel comprises a plurality of reduced quality broadcast channels and wherein the reviewing step comprises browsing the plurality of reduced quality broadcast channels.
- The method of claim 8, wherein the reviewing step further comprises cycling
 through a predetermined number of the plurality of reduced quality broadcast channels at a predetermined rate.
 - A system for reviewing broadcast channels, the system comprising:
 capturing means for capturing at least one broadcast channel at a first site at a
 reduced quality from its broadcast quality;

receiving means for receiving the at least one reduced quality broadcast channel at a second site, the second site being remote from the first site; and reviewing means for reviewing the at least one reduced quality broadcast channel at the second site.

20

25

15


5

- 11. The system of claim 10, wherein the capturing means comprises a video server (102) corresponding to at least one Internet address (104).
- 12. The system of claim 11, wherein the receiving means comprises accessing means for accessing the at least one Internet address (104) and downloading means for downloading the at least one reduced quality broadcast channel therefrom.
- 13. The system of claim 11, wherein the at least one reduced quality broadcast channel comprises a plurality of reduced quality broadcast channels and wherein the receiving means comprises multicasting means for multicasting the plurality of reduced quality broadcast channels from the at least one Internet address (104).

- 14. The system of claim 10, wherein the receiving means comprises wireless receiving means (106) for receiving a wireless transmission of the at least one reduced quality broadcast channel at the second site.
- 5 15. The system of claim 10, wherein the at least one reduced quality broadcast channel comprises a plurality of reduced quality broadcast channels and wherein the reviewing means comprises browsing means for browsing the plurality of reduced quality broadcast channels.
- 10 16. An apparatus for reviewing broadcast channels, the apparatus comprising:
 receiving means for receiving at least one broadcast channel at a reduced
 quality from its broadcast quality which has been previously captured at a remote site; and
 reviewing means for reviewing the at least one reduced quality broadcast
 channel.

15

- 17. The apparatus of claim 16, wherein the receiving means comprises accessing means for accessing the at least one Internet address and downloading means for downloading the at least one reduced quality broadcast channel therefrom.
- 20 18. The apparatus of claim 16, wherein the receiving means comprises wireless receiving means (106) for receiving a wireless transmission of the at least one reduced quality broadcast channel at the second site.
- The apparatus of claim 16, wherein the reviewing means is a display (122)
 integral with the apparatus for displaying the reduced quality broadcast television channel.






FIG. 2A




FIG. 2B

INTERNATIONAL SEARCH REPORT



Relevant to claim No.

1-19

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 H04L29/06

According to international Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

 $\begin{array}{lll} \mbox{Minimum documentation searched (classification system followed by classification symbols)} \\ IPC & 7 & H04L & H04N \end{array}$

Category * Citation of document, with indication, where appropriate, of the relevant passages US 5 768 535 A (NORTHCUTT J DUANE ET AL)

16 June 1998 (1998-06-16) the whole document

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

X	WO 01 31497 A (GONZALEZ RUBEN ;A INC (US)) 3 May 2001 (2001-05-03 the whole document	CTIVESKY)	1–19			
А	WO 01 15427 A (LERNER STEVE ;HAL RANDY M (US); SMITH GREGORY NEIL TECH) 1 March 2001 (2001-03-01) the whole document		1–19			
A	WO 99 12349 A (DISCOVERY COMMUNI 11 March 1999 (1999-03-11) the whole document	CAT INC)	1–19			
* Special ca	X Futher documents are listed in the continuation of box C. X Patent family members are listed in annex. *Special categories of ched documents: *A document defining the general state of the art which is not considered to be of perfluider review of the definition of the production of the definition of the production of the pr					
1º carrier document but published on or after the international filing date 1º document which may throw doubts on priority claim(s) or which is clear to establish the publication date of another station of other great reasons the special reason of the product reasons the special or doubt and are stated or the contract of the contra		"X' document of particular relevance; the claimed invention cannot be considered nevel or cannot be considered in the Norbe as inventive step when the document is taken alone "Y' document of particular relevance, the claimed invention and document is continued with one or more other such docu- ments, such combination below plovious to a person selfed in the art. "&' document on the same patent family				
	actual completion of the international search 5 November 2002	Date of mailing of the International set 29/11/2002	uch report			
Name and r	mailing address of the ISA European Patient Office, P.B. 5618 Patentiaan 2 NL - 2280 HV Rijewijk Tet (-31-70) 340-2040, Tx. 31 651 epo nl, Fax (-631-70) 340-3016	Authorized officer Mannekens, J				

INTERNATIONAL SEARCH REPORT

Internal Application No PCT/IB 02/03252

		PCT/IB 02/03252					
	C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT						
Category *	Citation of document, with Indication, where appropriate, of the relevant passages	Relevant to claim No.					
		Retevant to claim No. 1–19					
l l		1	ı				

INTERNATIONAL SEARCH REPORT

Information on patent family members

Internal Application No PCT/IB 02/03252

				1 ,	,
Patent document cited in search report		Publication date		Patent family member(s)	Publication date
US 5768535	Α	16-06-1998	US EP JP	5621660 A 0739140 A2 9163362 A	15-04-1997 23-10-1996 20-06-1997
WO 0131497	A	03-05-2001	WO AU BR EP	0131497 A1 1115001 A 0014954 A 1228453 A1	03-05-2001 08-05-2001 30-07-2002 07-08-2002
WO 0115427	Α	01-03-2001	AU WO	6896200 A 0115427 A2	19-03-2001 01-03-2001
WO 9912349	A	11-03-1999	AU BR CA CN EP JP WO	9299398 A 9812059 A 2302616 A1 1278384 T 1025696 A1 2001515319 T 9912349 A1	22-03-1999 22-01-2002 11-03-1999 27-12-2000 09-08-2000 18-09-2001 11-03-1999
WO 0110124	Α	08-02-2001	AU EP WO	6493300 A 1201084 A1 0110124 A1	19-02-2001 02-05-2002 08-02-2001